

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/435,748	11/08/1999	JAMES P. BUCKLEY	N19.12-0028	5623
24113	7590 06/04/2002		·	
PATTERSON, THUENTE, SKAAR & CHRISTENSEN, P.A.			EXAMINER	
4800 IDS CEN 80 SOUTH 8T	TH STREET	RUTHKOSKY, MARK		
MINNEAPOLIS, MN 55402-2100			ART UNIT	PAPER NUMBER
			1745	13
			DATE MAILED: 06/04/2002	

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>*</b>			IV/I
	Application N .	plicant(s)	
Advisory Action	09/435,748	BUCKLEY ET AL.	
,	Examiner	Art Unit	
	Mark Ruthkosky	1745	
The MAILING DATE of this communication app	ars on the cover sheet with the c	orrespondence addr	ess
THE REPLY FILED 22 May 2002 FAILS TO PLACE THIS Therefore, further action by the applicant is required to average final rejection under 37 CFR 1.113 may only be either: (1) condition for allowance; (2) a timely filed Notice of Appeal Examination (RCE) in compliance with 37 CFR 1.114.	oid abandonment of this applica ) a timely filed amendment whicl	ation. A proper reply h places the applicat	to a tion in
PERIOD FOR RE	EPLY [check either a) or b)]		
a) The period for reply expires 3 months from the mailing date			
b) The period for reply expires on: (1) the mailing date of this A no event, however, will the statutory period for reply expire I ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS 706.07(f).	ater than SIX MONTHS from the mailing	g date of the final rejection	on.
Extensions of time may be obtained under 37 CFR 1.136(a). The fee have been filed is the date for purposes of determining the period of fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of (2) as set forth in (b) above, if checked. Any reply received by the Office timely filed, may reduce any earned patent term adjustment. See 37 C	of extension and the corresponding amo the shortened statutory period for reply be later than three months after the mai	ount of the fee. The appropriate or the final Configuration or the final Configuration of the final Configuration or the final Co	opriate extension Office action; or
1. A Notice of Appeal was filed on Appellant's 37 CFR 1.192(a), or any extension thereof (37 CFF			
2. The proposed amendment(s) will not be entered be	ecause:		
(a)   they raise new issues that would require further	er consideration and/or search (s	see NOTE below);	
(b)  they raise the issue of new matter (see Note b	pelow);		
<ul> <li>(c)  they are not deemed to place the application in issues for appeal; and/or</li> </ul>	n better form for appeal by mate	rially reducing or sim	nplifying the
(d) they present additional claims without cancelling NOTE:	ng a corresponding number of fi	inally rejected claims	<b>;</b> .
3. Applicant's reply has overcome the following rejecti	on(s): <u>none</u> .		
4. Newly proposed or amended claim(s) would canceling the non-allowable claim(s).	be allowable if submitted in a se	parate, timely filed a	amendment
5. ☑ The a) ☐ affidavit, b) ☐ exhibit, or c) ☑ request for application in condition for allowance because: <i>The</i>	reconsideration has been consi	dered but does NOT	place the
6. The affidavit or exhibit will NOT be considered becaraised by the Examiner in the final rejection.		o issues which were	newly
7. For purposes of Appeal, the proposed amendment explanation of how the new or amended claims we			nd an
The status of the claim(s) is (or will be) as follows:			
Claim(s) allowed:			
Claim(s) objected to:			
Claim(s) rejected: <u>30-44 and 52-54</u> .			
Claim(s) withdrawn from consideration:			
8. The proposed drawing correction filed on is	a)☐ approved or b)☐ disapp	roved by the Examin	ner.
9. Note the attached Information Disclosure Statemer			
10. Other:	/ F====================================	<del></del>	

U.S. Patent and Trademark Office

Patrick Ryan
Supervisory Patent Examiner
Technology Center 1700